



SETUP SHEET

MINI
EIGHT
DB

Name: Mini 8IGHT-DB

City: _____

State: _____

Front Suspension

Toe: -1 degree


Ride Height: Arms Level

Caster: Stock

Piston/Oil: 3-hole piston/30 wt

Camber Link: Position 2

Shock Location: Position 1/Outside



Notes: _____

Rear Suspension

Toe: 3 degrees


Ride Height: Arms Level

Rear Hub Spacing: Stock

Piston/Oil: 3-hole piston/25 wt

Camber Link: Position 2-B

Shock Location: Position 2/Outside



Notes: _____

Electronics

Motor: Fuze 3800Kv

ESC: TAZER Mini Brushless Waterproof ESC

Battery: 1200mAh 7.2V Ni-MH Gearing: 60T/14T

Optimal Battery: 2000mAh 7.4V 2S Li-Po (Gearing: 60T/14T)

Notes For 3s operation 60T/12T is the recommended gearing.



SETUP SHEET

MINI **EIGHT** DB™


Name: Mini 8IGHT-DB

City:

State:

Front Suspension


Toe: _____
Ride Height: _____
Caster: _____
Piston/Oil: _____
Camber Link: _____
Shock Location: _____



Notes: _____

Rear Suspension

Toe: _____
Ride Height: _____
Rear Hub Spacing: _____
Piston/Oil: _____
Camber Link: _____
Shock Location: _____



Notes: _____

Electronics

Motor: _____
ESC: _____
Battery: _____ Gearing: _____
Optimal Battery: _____

Notes



WWW.LOSI.COM

49970

Created 2/2017 LOS01009T1/T2

©2017 Horizon Hobby, LLC.

Losi, 8IGHT, DSM, DSM2, DSMR, Dynamite, Fuze, Tazer, EC3, and the Horizon Hobby logo are trademarks or registered trademarks of Horizon Hobby, LLC.

The Spektrum trademark is used with permission of Bachmann Industries, Inc. All other trademarks, service marks and logos are property of their respective owners.